

CITY OF WILLIAMS CITY COUNCIL

**SPECIAL MEETING
AUGUST 15, 2022
3:00 P.M.**

**CITY COUNCIL CHAMBERS
113 S. FIRST STREET
WILLIAMS, ARIZONA**

AGENDA

PURSUANT TO A.R.S. #38-431.02, NOTICE IS HEREBY GIVEN TO THE MEMBERS OF THE CITY COUNCIL AND THE GENERAL PUBLIC THAT THE CITY COUNCIL WILL HOLD A MEETING OPEN TO THE PUBLIC **MONDAY, AUGUST 15, 2022, AT 3:00 P.M.** IN THE CITY COUNCIL CHAMBERS, 113 S. FIRST STREET, WILLIAMS, ARIZONA. THE COUNCIL MAY, BY MOTION, RECESS INTO EXECUTIVE SESSION FOR (A) LEGAL ADVICE IN ACCORDANCE WITH A.R.S. §38-431.03(A)(3), OR (B) DISCUSSION OR CONSIDERATION OF RECORDS EXEMPT BY LAW FROM PUBLIC INSPECTION IN ACCORDANCE WITH A.R.S. §38-431.03(A)(2), TO DISCUSS AND CONSIDER ANY ITEM CONTAINED IN THIS AGENDA. THE COUNCIL WILL DISCUSS AND MAY TAKE ACTION ON THE FOLLOWING MATTERS:

I. PROCEDURES

A. Call to Order

B. Roll Call

_____ Mayor Moore

_____ Vice-Mayor Dent

_____ Councilmember Fritsinger

_____ Councilmember McNelly

_____ Councilmember Cowen

_____ Councilmember Hiemenz

_____ Councilmember Payne

C. Adopt Agenda

II. D. Council will discuss and may approve Purchase Orders.

III. ADJOURN

Certification of Posting

The undersigned hereby certifies that a copy of this notice was duly posted at Williams City Hall interior board and exterior board in accordance with the statement filed by the City Council with the City Clerk.

Date: _____ Time: Before 5 p.m. By: _____

City Clerk Pamela Galvan

Purchase Order

P. O. Number: 409

City of Williams
113 S First St
Williams AZ 86046

PHONE: 928-635-4451
FAX: 928-635-4495



To: 13287

INLAND KENWORTH (US) INC.
8314 W ROOSEVELT ST
TOLLESON AZ 85353

Ship to:

CITY OF WILLIAMS
113 S FIRST ST
WILLIAMS AZ 86046

P. O. Date	Created By	Requested By	Department	Approved By	Req Number
08/03/2022	Barbara		650 - SANITATION		0

Quantity	Description	Activity No.	Unit Price	Total
1.00	Truck Transport T880 Series - Roll Off (see a 65-000-7050.000	0	220,895.25	220,895.25
SHIPPING / HANDLING				
SALES TAX				18,357.65
TOTAL PO AMOUNT				239,252.90

Notes:

Authorized Signature



BUYERS ORDER & PURCHASE AGREEMENT

INLAND KENWORTH (US) INC.

8314 W Roosevelt St

Tolleson, Arizona 85353

Phone : (602) 258-7791 Fax: (602) 484-0284

DATE:	7/6/2022	BUYER'S NAME:	City of Williams
ADDRESS:	113 S 1st St	PHONE:	928-635-9108
CITY:	Williams	STATE:	
ZIP:	86046		

QUANTITY:	1	NEW:	New	COLOR:	White	DESCRIPTION:
YEAR:	2023	MAKE:	Kenworth	MODEL:	T880	ROLL OFF
SERIAL # (s):	TBD					
STOCK # (s):	TBD					

SALESPERSON: Mike McGee

Price / Unit	Qty	Purchase Total
\$220,580.25	1	\$220,580.25
FET		\$0.00
Documentation		\$0.00
Taxable Amount (above less FET + Trade) \$220,875.25		
Sales Tax		\$18,357.65
Ext. Warranty		\$0.00
Administration		\$295.00
License & Title		\$0.00
Tire Disposal Fee		\$20.00
Out of State Delivery		\$0.00
Total		\$239,252.90
Cash Deposit		\$0.00
Trade Equity		\$0.00
Amount Financed		\$0.00
Cash on Delivery		\$239,252.90

BUYER HEREBY SUBMITS THE ABOVE ORDER WHICH SHALL CONSTITUTE BUYER'S OFFER TO PURCHASE THE VEHICLE(S), CHASSIS OR ACCESSORY (IES) (INDIVIDUALLY AND TOGETHER, THE "VEHICLE") AS IDENTIFIED ABOVE FOR THE PURCHASE PRICE AND ON THE TERMS AND CONDITIONS SET FORTH IN THE ABOVE ORDER AND THIS AGREEMENT (TOGETHER, THE "AGREEMENT"), WHICH INCLUDES THE ABOVE ORDER AND THE ADDITIONAL TERMS AND CONDITIONS, WHICH BUYER REPRESENTS IT HAS REVIEWED AND UNDERSTANDS.

AGREED BY PURCHASER

Signature	Title	Date
-----------	-------	------

SELLER HEREBY ACCEPTS BUYER'S OFFER AND AGREES TO SELL TO BUYER THE IDENTIFIED VEHICLE ON THE TERMS AND CONDITIONS SET FORTH IN THIS AGREEMENT.

ACCEPTED BY SELLER

Signature	Title	Date
-----------	-------	------

THANK YOU FOR YOUR BUSINESS!

Sales Code	Std/Opt	Description	Weight
8700283	S	LH and RH Trip Ledge Rain Deflectors	0
8700663	S	Kenworth TruckTech+ The Kenworth Remote Diagnostics system provides the Worlds Best reporting of engine and aftertreatment fault codes, as well as enhanced support for the truck owner through rapid communication of fault severity and recommended actions. This option is Standard on all Heavy Duty Kenworths with a PACCAR MX engine, Cummins X15 engine, PX engine or Natural Gas engine. Optional on Medium Duty Kenworths.	0
8800260	O	Long grabhandle RH side mounted to side-of-cab exhaust.	2
8800372	O	Grabhandle: LH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit.	3
8800402	S	Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	0
8832113	S	Kenworth Daylite Door with standard LH/RH electric door locks and LH/RH electric window controls.	0
8841411	S	Single air horn under cab.	0
8850139	S	Look-Down, Pass. Door, Black 11x6	0
8865002	S	Aero Mirror: Dual Kenworth Aerodynamic Motorized heated mirrors, 7in X 13in with cab color mirror shell and black mirror arms. Also includes LH/RH heated 6in X 7in convex mirrors. Mirror brackets set for 8-1/2 ft load width. Mirror controls located on driver side door pad.	0
8871446	S	Rear cab stationary window 19in x 36in	0
8890101	S	One-piece bonded-in windshield with curved glass. Standard.	0
8890135	S	Exterior stainless steel sunvisor.	19
8890349	S	Wheelwell Fender Extension: 2.5 Inches	0
8890876	S	Kenworth Cab/Sleeper Air Suspension.	0
Lights & Instruments			
9010553	S	Headlamps: SAE Dual Halogen Complex Reflector	0
9022137	S	Marker Lights: Five, rectangular, LED	0
9030016	S	Turn Signal Lights: Flush mounted LED. Mounted at top of fender wheel arc.	0
9030052	S	LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.	0
9058085	O	SW/WIRE/IND LT: C/I FLOOD 1ST SW THRU GROMMET UNDER CAB	0

Sales Code	Std/ Opt	Description	Weight
9090039	S	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	0
9090049	S	Omit Brake Light with Engine Brake. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	0
9090115	O	Reflectors: Two Midframe	0
9090126	O	Electric Backup Alarm: Meets SAE J994 & OSHA requirements.	4
9090316	O	Junction Box: End of Frame	1
9090849	O	Polyswitches replacing fuses. Switch will automatically reset after removal of excess load.	0
Air Equipment			
9101218	S	Air Dryer: Bendix AD-HF Puraguard Heated	0
9108001	S	Moisture ejection valve w/ pull cable drain.	0
9110020	O	Full Truck Kit Gladhands mounted at end-of-frame. Seven-way female receptacle mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.	15
9140020	S	Nylon air tubing in frame & cab, excluding hoses subject to excessive heat or flexing.	0
9140328	O	Trailer ABS electric supply through SAE J560 7-pin connector per TMC RP137).	0
Extended Warranty			
9200021	S	Base Warranty - Standard Service Heavy Duty 12 months / 100,000 miles / 160,000 km.	0
9212611	O	24 Month TruckTech+ Subscription for Cummins Engines	0
9220001	O	Base Warranty: Emissions 5YR/100K MI - EPA Engine (Does not include CARB Clean Idle sticker)	0
Miscellaneous			
9409852	O	GHG Secondary Manufacturer: Does Not Apply	0
9490206	O	Warning triangle reflector kit: Shipped loose. Kit consists of 3 triangles in plastic carrying case. Not floor mounted.	4
9490404	O	One 5 lb. dry chemical type fire extinguisher mounted outboard of driver seat. Class ABC.	11
9491659	S	VMUX Architecture	0

Promotions



Sales Code	Std/ Opt	Description	Weight
Paint			
9700000	O	Paint color number(s).	0
		N9702 A - L0006 WHITE N9720 FRAME N0001 BLACK	
9943004	O	Bumper Unpainted	0
9943050	O	Day Cab Standard Paint	0
9944820	S	1 - Color Paint - Day Cab Color will be White if no other color is specified.	0
9965510	S	Base coat/clear coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	0

Order Comments

Total Weight

17,425

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in CRM.

PRICING DISCLAIMER

While we make every effort to maintain the web site to preserve pricing accuracy, prices are subject to change without notice. Although the information in this price list is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order prebills to confirm your pricing information

Printed On: 01/01/2022 10:00 AM
Page: 11 of 12
Printed By: 01/01/2022 10:00 AM



Shipping Destinations

Intermediate Destination:

Final Destinations	Quantity
--------------------	----------

TERMS AND CONDITIONS

1. As used in this Agreement (a) "Seller" means Inland Kenworth (US), Inc., a corporation, (b) "Buyer" means the party executing this Agreement as shown on page 1, (c) "Manufacturer" means the entity that manufactured the Vehicle as shown on page 1 and (d) "Vehicle" means and includes the vehicle(s), chassis equipment and/or accessory(ies) ordered and purchased by Buyer as identified on page 1. It is understood and agreed by Buyer that (i) Seller is not the agent of Manufacturer for any purpose, and (ii) Seller and Buyer are the only parties to this Agreement and Manufacturer is not a party nor a third party beneficiary to this Agreement.
2. An order from Buyer shall only be deemed placed when this Agreement has been signed by both the Buyer and Seller which shall be the only method by which Buyer commits to purchase the Vehicle and Seller commits to sell the Vehicle unless otherwise agreed by Buyer and Seller in writing, signed by both parties. Buyer shall fully cooperate with Seller in connection with such order and delivery of the Vehicle, including executing any documents and doing such acts as may be reasonably requested by Seller. Seller makes no representation or warranty regarding the timing of delivery of the Vehicle, which is dependent on factors outside of Seller's control.
3. Buyer acknowledges that Manufacturer has reserved the right to change the price and/or design of any product being purchased by Buyer hereunder at any time without notice and in its sole discretion. If Seller is unable to procure the Vehicle(s) as specifically ordered by Buyer for any reason outside the control of Seller, including a change in the price or design as set forth in this Agreement by reason of Manufacturer's change in price or design, this Agreement shall be deemed cancelled and terminated immediately. Buyer agrees that Seller's inability to procure the Vehicle(s) and the subsequent cancellation and termination of this Agreement are not a breach of this Agreement by Seller. Seller shall notify Buyer of the cancellation of this Agreement. In the event of such cancellation and termination, neither Buyer nor Seller shall have any further legal or equitable remedy against the other as to the cancellation or termination. Seller retains all legal or equitable rights and remedies as to any breach of this Agreement that occurred prior to the cancellation and termination, subject to the terms and conditions herein.
4. If Buyer is trading a used motor vehicle (the "trade-in vehicle") as a part of the consideration for the purchase of the Vehicle as provided herein, such trade-in vehicle shall not be delivered to Seller without Seller's prior written consent, unless and until Seller delivers to Buyer the Vehicle ordered by Buyer. If the trade-in vehicle is delivered to Seller before delivery of the Vehicle ordered by Buyer, Seller shall store such trade-in vehicle as an accommodation to Buyer at Buyer's expense and the risk of loss as to such trade-in vehicle shall remain with Buyer. Buyer's trade-in vehicle shall be reappraised at the time of delivery to Buyer of the Vehicle purchased by Buyer and the reappraised value shall determine the actual trade allowance for the trade-in vehicle to be applied against the purchase price for the Vehicle being purchased by Buyer. Buyer understands that the original trade allowance for the trade-in vehicle is an estimated value and the reappraised value shall be determinative of the actual trade allowance even though less than the original trade allowance. If the trade-in vehicle's reappraised value is less than its original trade allowance, Buyer shall pay to Seller the difference at the time of delivery of the trade-in vehicle. At the time of delivery of the trade-in vehicle to Seller, Buyer shall deliver to Seller the certificate of title for the trade-in vehicle. Buyer warrants that the trade-in vehicle shall be delivered to Seller free and clear of all liens and encumbrances except as otherwise noted herein, and Buyer agrees to indemnify and defend Seller against any such liens or encumbrances. The certificate of title to the trade-in vehicle (1) shall not be a "salvage title certificate" issued by any Department of Motor Vehicles, and (2) shall not be a certificate of title issued by any other authority indicating that the trade-in vehicle has been reconstructed or repaired by reason of collision or other damage.
5. The purchase price for the Vehicle being purchased by Buyer hereunder may but does not necessarily include reimbursement for federal excise taxes, but it does exclude any federal, state or local sales, use, occupational or like taxes or duties now in force or enacted in the future unless expressly so stated. Any such tax, fee or charge of any nature whatsoever imposed by any governmental authority on, or measured by, the transaction between Seller and Buyer (exclusive of taxes on net income) shall be paid by Buyer in addition to the purchase price for the Vehicle. If Seller is required to pay any such tax, fee or charge, at the time of sale of thereafter, Buyer shall reimburse Seller therefore.
6. THE MANUFACTURER'S WARRANTY IS THE ONLY WARRANTY APPLICABLE TO THE VEHICLE BEING PURCHASED HEREUNDER WHETHER NEW OR USED. THE PURCHASE OF ANY USED VEHICLE FROM SELLER SHALL BE ON AN "AS-IS, WHERE IS" BASIS UNLESS SELLER DELIVERS TO BUYER A SEPARATE WRITTEN WARRANTY OR SERVICE CONTRACT. EXCEPT AS PROVIDED BY THE FOREGOING, SELLER HEREBY DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, REGARDING THE VEHICLE.
7. BUYER AGREES THAT ITS SOLE LEGAL AND EQUITABLE REMEDY FOR ANY BREACH OF THIS AGREEMENT BY SELLER, INCLUDING SELLER'S FAILURE TO DELIVER TO BUYER THE VEHICLE ORDERED BY BUYER UNDER THIS AGREEMENT, SHALL BE TO REQUIRE SELLER TO RETURN TO BUYER ANY FUNDS DELIVERED TO SELLER BY BUYER FOR THE PURCHASE OF THAT VEHICLE. IN NO EVENT SHALL SELLER BE LIABLE FOR COSTS OF PROCUREMENT OF SUBSTITUTE GOODS BY BUYER OR BE LIABLE FOR ANY SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, HOWEVER CAUSED INCLUDING, BUT NOT LIMITED TO, ANY LOST PROFITS, WHETHER FOR BREACH OF THIS AGREEMENT, NEGLIGENCE, GROSS NEGLIGENCE, OR OTHERWISE.
8. If Buyer breaches this Agreement, including but not limited to by failing to purchase any Vehicle ordered by Buyer, in addition to any other remedy available to Seller at law or in equity, (i) Buyer shall indemnify and hold harmless Seller from any loss, damage, liability, cost and expense incurred by Seller in connection with Buyer's order or in connection with this Agreement, (ii) Buyer shall pay to Seller the full measure of Seller's lost profits expected from this Agreement and overhead regardless of whether Seller resells the Vehicle, as well as any other general or incidental damages and costs incurred by Seller, including cost of resale of the Vehicle; (iii) Seller may resell the ordered Vehicle and retain any and all amounts paid without credit or refund to Buyer; (iv) Seller may repossess all or any portion of the Vehicle sold to Buyer; and/or (v) Seller shall retain the total deposit, which is non-refundable, from Buyer for this Agreement. Buyer agrees that in the event of Buyer's breach of this Agreement, Seller is a lost-volume seller. Seller is not required to mitigate its damages from breach of this Agreement, nor does any such mitigation reduce the liability of Buyer for the full measure of damages as described herein.
9. No modification, change or amendment to this Agreement or waiver of any term hereof shall be deemed effective unless made in writing and signed by both of the parties. Time is of the essence for this Agreement and each of the party's obligations hereunder. This Agreement shall be binding on and inure to the benefit of Buyer and Seller and their respective successors and assigns; provided, however, Buyer may not assign this Agreement without Seller's prior written consent and any such attempted assignment without Seller's written consent shall be void. This Agreement shall be governed under the laws of the state in which Seller's business is located. Any legal action for any and all claims related to this Agreement, including to enforce its terms or to seek damages or any other remedy by reason of its breach, shall be brought in the state or federal courts with the appropriate jurisdiction of the county in which Seller's business is located. If any portion of this Agreement is found to be invalid, illegal, or unenforceable, such portion shall be deemed severed from this Agreement, and the remaining parts hereof shall remain in full force and effect as fully as though such invalid, illegal, or unenforceable portion had never been part of this Agreement. If suit is brought in connection with this Agreement, including to enforce this Agreement or recover damages or any other remedy by reason of its breach, the prevailing party shall be entitled to recover its reasonable attorney's fees, both at trial and on appeal, together with any costs and expenses incidental to any such proceedings. This Agreement constitutes the entire agreement between the parties pertaining to its subject matter and supersedes all prior agreements, representations and understandings of the parties regarding the subject matter hereof. The Agreement may be executed in any number of counterparts, each of which shall be deemed an original, and all of which together shall be deemed the same instrument. The failure by Seller to enforce at any time any of the provisions of this Agreement shall not be construed as a waiver of such provisions, nor affect the validity of this Agreement or any part thereof, or the right of Seller to thereafter enforce such provision. Buyer acknowledges that it has not entered into this Agreement in reliance upon any warranty or representation by any person or entity except for the warranties or representations specifically set forth herein. Buyer represents and warrants that it intends to use the Vehicle for commercial purposes only and not for personal, family, household or consumer purposes.
10. All demands, notices, consents, or other communications required or permitted to be given under this Agreement by either party, shall be sent to the other party at the address set forth herein and/or email addresses provided, and shall be deemed to have been duly given (1) if sent by email to the email address(es) provided, (2) if mailed, three business days after being deposited in the United States mail, certified or registered mail, return receipt requested, and postage prepaid, (3) if sent by facsimile, upon transmission to the facsimile numbers below provided that a copy is promptly sent by United States mail and a transmission receipt is provided, or (4) if delivered by personal delivery, when delivered.
11. Seller reserves a purchase money security interest in the Vehicle sold hereunder and the proceeds thereof in the amount of the purchase price until the purchase price for the Vehicle has been paid in full. Buyer shall perform all acts necessary or appropriate to assist Seller in perfecting and maintaining such security interest.

Please Initial
For Buyer _____



INLAND - PHOENIX (I137)
8314 WEST ROOSEVELT
TOLLESON, Arizona 85353

City of Williams
113 S 1st St
Williams, Arizona 86046
United States of America

Mike McGee
Cell Phone:
Office Phone: 602-258-7791
Email: mmcgee@inland-group.com

Ron Howard
Email: sanitation@williamsaz.gov

Vehicle Summary

	Unit	Chassis
Model:	T880 Series Conventional	Fr Axle Load (lbs): 20000
Type:	FULL TRUCK	Rr Axle Load (lbs): 46000
Description 1:	T880 Roll Off	G.C.W. (lbs): 80000
Description 2:		
Intended Serv.:	Application Refuse hauler: Vehicles which haul refu	Road Conditions: Class A (Highway) 76
Commodity:	Refuse/recycled material.	Class B (Hwy/Mtn) 19
		Class C (Off-Hwy) 5
		Class D (Off-Road) 0
Type:	Body Roll on/roll off.	Maximum Grade: 6
Length (ft):	22	Wheelbase (in): 260
Height (ft):	13	Overhang (in): 60
Max Laden Weight (lbs):	4000	Fr Axle to BOC (in): 74
		Cab to Axle (in): 186
		Cab to EOF (in): 246
		Overall Comb. Length (in): 368.5
No. of Trailer Axles:	Trailer 0	
Type:	Other	
Length (ft):	0	
Height (ft):	12	
Kingpin Inset (in):	0	
Corner Radius (in):	0	
		Special Req. U.S. Domestic registry, 50-state.
	Restrictions	
Length (ft):	75	
Width (in):	102	
Height (ft):	13.5	

Approved by: _____

Date: _____

Note: All sales are F.O.B. designated plant of manufacture.

TraceTrax January 1, 2022
Doc # 2022-0101
Printed On 7/6/2022 10:33 AM



Sales Code	Std/ Opt	Description	Weight
Model			
0000810	S	T880 Series Conventional	15,549
0070060	S	T880	0
0080075	O	Dealer/Customer declines engine w/CARB Idle Emissions Reduction Feature.	0
0090000	S	Non-Sleeper w/rear axle capacity less than 59K.	0
0098403	O	State of Registry: Arizona	0
Engine & Equipment			
0130336	O	X15 605V 605@2000 1850@1000 2021 with Intebrake, Productivity Series N09420 C333 0.....Reserve Speed Limit Offset (N09380 C334 0.....Maximum Cycle Distance (C334 N09360 C400 252...Reserve Speed Function Reset N09200 C399 120...Standard Maximum Speed Limit N09400 C401 10....Maximum Active Distance (C40 N09220 C402 0.....Expiration Distance (C402) N09540 C395 0.....Expiration Distance (C395) N09260 C121 64....Maximum Accelerator Pedal Ve N09440 C234 NO....Engine Protection Shutdown (N09460 C231 NO....Gear Down Protection (C231) N09580 C133 5....Timer Setting (C133) N09680 C233 NO....Idle Shutdown Manual Overrul N09480 C132 1400..Max PTO Speed (C132) N09300 C128 64....Maximum Cruise Speed (C128) N09500 C239 NO....Cruise Control Auto Resume (N09520 C238 NO....Auto Engine Brake in Cruise N09240 C209 120...Hard Maximum Speed Limit (C2 N09780 C190 80....High Ambient Temperature Thr N09740 C188 40....Low Ambient Temperature Thre N09760 C189 60....Intermediate Ambient Tempera N09720 C382 YES...Enable Hot Ambient Automatic N09600 C396 YES...Enable Impending Shutdown Wa N09620 C397 60....Timer For Impending Shutdown N09640 C206 35....Engine Load Threshold (C206) N09560 C225 YES...Enable Idle Shutdown Park Br	465
1000046	O	EPA Emissions Warranty Engine	0
1000151	S	PremierSpec	0
1000233	O	Powertrain Protect with SmartAccel - X15 Torque Rate Limiting	0
1000244	O	Gearing Analysis: Balance power/economy blend results.	0
1000251	O	Customer's Typical Operating Spd: 60 MPH.	0

Once Leave January 1, 2023

100% Complete

Page 2 of 12

Order 178414 1/1/23

Printed On 1/1/23 2:30:33 AM

Order Number 0115-8784 9 rec'd 1/1/23



Sales Code	Std/ Opt	Description	Weight
1000684		Effective VSL Setting NA	0
1000858	O	Engine Idle Shutdown Timer Disabled	0
1000859	O	Enable EIST Ambient Temp Override	0
1000891		Eff EIST NA Expiration Miles	0
1002080	O	Air compressor: Cummins 18.7 CFM, Naturally Aspirated for Cummins X15 engines	0
1051200	S	Air Cleaner: composite firewall mounted PACCAR or Cummins engines	0
1105220	O	Fan Hub: Horton 2-Speed for X15	0
1123555	S	Cooling module: 1330 square inches. Includes aluminum radiator core, aluminum charge air cooler, translucent surge tank and washer bottle, silicone hoses, and extended life coolant.	0
1247234	S	EXH: 2021 RH Under DPF/SCR with RH SOC Vertical tailpipe. Not 2.1m high roof sleepers	0
1290118	O	Tailpipe: 5 in. Single 18 in. 45 degree curved.	0
1321109	O	Fuel Filter:PACCAR Standard Service Interval Fuel/Water Separator. 2017 and Later Emissions	0
1321205	S	Run Aid:Fuel Heat *For Fuel Filter	0
1321305	S	Start Aid:12V Heat *For Fuel Filter	0
1504005	O	Immersion block heater 120V 1500W w/plug under door on C500, T660, T800 & W900.	2
1816200	O	Alternator: SEG 200 amp, brush type Formerly Bosch.	0
1821275	O	Batteries: 3 AGM GP31 THR (925) 2775 CCA. For T680, T880, or W990 in cab battery box only.	0
1836106	O	Mitsubishi 105P55 12V Starter with Cummins and PX PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines.	0
1840065	S	12V low voltage disconnect for starter battery protection.	0
1901017	S	Remote PTO/Throttle, 12-Pin, Engine Bay Remote Control Provision	0
Transmission & Clutch			
2058744	O	Transmission: Fuller RTLO18918B 18-speed	214

Price List - January 1/2017

1800 Kenworth

Date 1/17/2017

Page 3 of 12

Printed On: 7/2/2022 8:36:33 AM

01/18/2017 10:13:18 AM

Sales Code	Std/ Opt	Description	Weight
		w/oil cooler & pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1850 pound-feet.	
2250498	O	Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 2050 ft-lb, Ceramic, 6-Paddle, Predamper	6
2294080	O	Air-assisted Hydraulic Clutch	0
2406803	O	Driveline: 3 Dana SPL250XL W/ 2 centerbearings Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	187
2429351	O	First Transmission PTO compatibility - Chelsea 230/236/238/442/489/660/680-V3 or Muncie CS8/SH8/TG8S-P1 bottom mounted 6 or 8-Bolt PTO's for all Eaton & PACCAR transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton FR & RT transmissions and supports bottom mounted 6 and 8-Bolt PTO's with single acting air actuation.	0
2429358	O	Rear transmission support springs for transmission PTO applications are required to ensure that engine flywheel housings are not overloaded when transmission PTO's are installed.	0
2429361	O	First Customer Installed Eaton/PACCAR Trans PTO.	0
2460042	O	14" Eaton High Capacity Standard Cooler Oil to Water. For Transmission 1550-2250 LBFT, 18-speed AutoShift.	0
2493009	O	Aluminum clutch housing	0
Front Axle & Equipment			
2536002	S	PACCAR FX-20 Front Axle rated at 20K 4" drop standard track	0
2607002	S	Front Brakes: 14,601-22K Bendix air disc brakes.	0
2690024	S	Splined rotor for front air disc brakes for use with aluminum hubs.	0
2690039	S	Integral Knuckle for Air Disc Brake, for use on PACCAR FX Steer Axle	0
2701319	S	Front Hubs Aluminum hub pilot 20,000 lbs. 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle.	0
2741970	S	ConMet PreSet Plus Hub package; front axle.	0
2750001	S	Hubcap: front vented.	0
2769000	S	Slack Adjusters included w/ front axle or brake. Also use w/ disc brakes.	0
2866020	S	Front Springs: Taperleaf 20K w/ shock absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins except for C500 which has threaded pins. Not available on W900L. W900B use 2866021.	0
2895302	S	Dual power steering gear: 16-22K Sheppard HD94. Heavy duty. Not for use on T3.	0

Printed: January 1, 2022

100% Complete

Date: July 01, 2023

Printed: 1/1/2022 8:30:33 AM

Printed: 1/1/2022 8:30:33 AM

2023 Number: 11/03/23 10:00:00

Sales Code	Std/ Opt	Description	Weight
2899336	S	Power Steering Cooler:Radiator Mounted Air-to-Oil	0
Rear Axle & Equipment			
3142160	S	Dual Meritor RT46-160 rear axle rated at 46K. Tandem rear axles.	0
3200391	O	Rear Axle Ratio - 3.91.	0
3334004	S	Dual Rear Brakes 16-1/2x7 in. to 46K; Bendix ES-extended service S-cam.	0
3392005	S	Dual Rear Brake Drums: cast.	0
3407050	S	Dual Rear Hubs: Aluminum hub pilot 46K 11-1/4 in. bolt circle.	0
3441972	S	ConMet PreSet Plus Hub package; dual rear axle.	0
3465002	S	Dual Rear axle automatic slack adjusters.	0
3485207	S	Spring Brake: 3030 long stroke dual 30 square inches travel. Helps keep brakes in adjustment longer.	0
3495230	O	Bendix 6S/6M anti-lock brake system w/ air traction control (ATC).	6
3500062	O	Interaxle Driveline: 1 Dana SPL170SF Not For Tridem Axles.	-2
3511420	O	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 52K forward rear & rear rear axle. Under Speed Interlock is standard on T680.	39
3742941	O	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 54 in. axle spacing, 17.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 12.5 in. Laden Height: 10.5 in.	180
3830145	O	Delete standard heavy-duty air springs for rear suspension.	-28
Tires & Wheels			
4077533	S	Front tires: Bridgestone M864 425/65R22.5 20PR All Position, On/Off Highway, Wide-base tire.	0
4277487	O	Rear tires: Bridgestone M799 11R22.5 16PR. 42 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	80
4900008	O	Rear Tire Quantity: 8	0
5045216	O	Front Wheel: Alcoa 82362 22.5x12.25 aluminum, with Lvl One [TM] finish High Polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	-10
5243549	O	Rear Wheel: Alcoa Ult39 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible.	-316
5900008	O	Rear Wheel/Rim Quantity: 8	0
Frame & Equipment			

Printed On: January 1, 2022

11:51 AM

Printed On: 7/8/2022 9:30:32 AM

11:51 AM

11:51 AM

11:51 AM

Sales Code	Std/ Opt	Description	Weight
6054600	O	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 337 in. to 416 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in.-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	288
6141600	O	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 337 in. to 416 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in.-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model: T660, T680, T800, T880 = 21.26 in.; C500B = bumper setting minus 0.79 in.; W900B = 5.27 in., W900L = 1.50 in., W900S = 3.27 in.; T440/T470 50 in. bumper setting = 21.26 in., T470 73 in. bumper setting = 72.3 in.	700
6302360	O	Bumper: Tapered aluminum channel. Natural Finish. Requires a bumper setting code.	-6
6319485	S	48.5 in. Bumper setting. Requires a bumper code.	0
6405000	O	In-cab steel battery box: under rider seat or in stand alone box. Requires appropriate AGM battery code, which varies by model, and appropriate rider seat code be selected prior to entering the workscreen. Includes 1 battery disconnect switch.	-9
6409906	O	In-Cab battery box location: Under rider seat.	0
6451090	S	T470,C5, T6, T8 non-polished DPF/SCR or CNG cover diamond plate w/ step. For use w/ 2010 or later exhaust systems. For T8, use extended length non-polished battery box on opposite rail to match the length of under cab components. End plates will be painted standard black frame color.	0
6679859	O	Final end-of-frame cut-off dimension will be modified to 56 in. to 60 in.	0
6679995	O	Customer will install structural end-of-frame crossmember before vehicle is placed in service.	0
6721102	S	Rear mudflap arms: Betts B-25 standard-duty, straight. Includes B1732 mounting brackets as standard.	0
6722000	S	Rear mudflap shields: White plastic antisail w/ Kenworth logo.	0
6742009	S	Square end-of-frame w/o crossmember; non-towing.	0
Fuel Tanks & Equip			
7210090	O	Fuel Tank: 90 US gallon 24.5in. aluminum under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	-4
7722153	S	Small round DEF tank, 14 gallons. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel	0

Sales Code	Std/ Opt	Description	Weight
		capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	
7889203	S	DEF to fuel fill ratio 2:1 or greater.	0
7889245	S	Anti-siphon device in fuel tank filler neck. For any number of fuel tanks.	0
7889604	S	DEF tank location is LH.	0
7920090	O	Location: 90 gal fuel tank LH under cab	0
Cab & Equipment			
8025301	S	Cab: Stamped aluminum cab with panoramic curved glass windshield. Standard with stamped aluminum doors, heavy duty in-swinging hinges, and triple sealed doors. Manufactured using self-piercing rivets and structural adhesive. Includes LED exterior marker lights and turn signals.	0
8090604	O	Hood: T880 Standard Length With Mechanically Fastened Fenders. 122.6 inch BBC.	15
8108011	S	Cab HVAC - Day Cab and 40in Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.	0
8201047	S	Kenworth Smartwheel: 18 in. Non-Leather With Integrated Radio and Cruise Controls.	0
8201051	O	Column Mtd Retarder Control, RH Side Use with Manual & Allison Transmissions Only.	0
8201200	S	Adjustable telescoping tilt steering column.	0
8203060	O	5 sets of keys. Replaces standard 2 sets of keys.	0
8203197	O	Dash Mounted Compact Trailer Brake Valve. Non-Self Returning.	0
8205164	O	Dash Switch: 1st Single-Acting Eaton or PACCAR Mounted PTO. Electric switch, wiring, software, air solenoids, and plumbing are factory-installed to control the 1st Eaton (single-acting) trans PTO.	0
8208497	O	Four Spare Switches: Wired To Power.	0
8221160	O	Gauge: Engine Oil Temperature Gauge With Integral warning light. The NavPlus HD unit includes a virtual engine oil temperature gauge.	0
8222404	S	Gauge: DD Virtual Gauge - Oil Temp Engine	0
8222409	S	Gauge: DD Virtual Gauge - Air Filter Restriction	0

Sales Code	Std/ Opt	Description	Weight
8222413	S	Gauge: DD Virtual Gauge - Manifold Pressure Boost	0
8222414	S	Gauge: DD Virtual Gauge - Engine Percent Torque	0
8225658	O	Gauge: Axle oil temperature, dual-drive axle. (2 gauges) w/integral warning light.	0
8226667	O	Gauge: Oil Temperature Gauge Transmission. The NavPlus HD unit includes a virtual transmission oil temperature gauge.	0
8282027	S	Main Instrument Package: 15" Digital Display. Includes Speedometer, Tachometer, Primary Air Pressure, Secondary Air Pressure, Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Oil Pressure, Coolant Temp, OAT and Voltmeter, and Air Application.	0
8282110	O	Modular Dash Options: LH Dash storage unit with two shelves. Reduces total gauge count by 6.	0
8300008	S	Interior color: Slate Gray	0
8330102	S	Interior package: Vantage daycab Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Convenient overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets. Driver sunvisor includes strap.	0
8390634	S	Rubber floormat	0
8410197	O	Driver Seat: GT701 HB with DuraCloth material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	0
8480107	O	Rider Seat: GT100 Battery/Utility Box IB With DuraCloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.	9
8490187	O	Seat Color: Gray	0
8601432	O	Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth	0
8698974	S	Base Level Audio System - Daycab:High Performance Door Speakers.	0
8699926	O	CB Installation kit: Center mounted of header. W/header mounted quick release CB mount. One red power post & one black ground post. Includes dual antenna leads located on the mirror brackets. Includes dual antenna & separate speaker.	2
8700197	S	Turn Signal: Non-Self Cancelling	0



Rush Truck Center, Phoenix

9600 W. Roosevelt St.

Tolleson, AZ 85353

602-422-8100

Customer Proposal Letter

Spartan Truck Company, Inc.

1441 N VIP Blvd.

Casa Grande, AZ 85122

Thank you for trusting us with your business. Please review the proposal below, and if you approve, sign and return to us at your convenience. We look forward to working with you and will continue to do our best to earn your trust now and in the future.

VEHICLE INFORMATION

Year 2024 Make Peterbilt Model 567 Stock # TBD Serial # TBD

Additional Vehicle Details: Draft Pricing, Final Pricing TBD

2024 Peterbilt 567 with Spartan Roll Off Hoist

Quantity		Total
Truck Price per Unit	\$ 250,583.25	\$ 250,583.25
F.E.T. (Factory & Dealer Paid)	\$ 0.00	
Net Sales Price	\$ 250,583.25	\$ 250,583.25
Optional Extended Warranty(ies)		
State Sales Tax	\$ 20,798.41	\$ 20,798.41
Additional Taxes	\$ 25.00	\$ 25.00
Documentary Fee	\$ 250.00	\$ 250.00
Tire Recycling Program	\$ 20.00	\$ 20.00
Total Sales Price	\$ 271,676.66	\$ 271,676.66
Trade Allowance (see DISCLAIMER Below)		
Deposit / Down Payment		
Unpaid Balance Due on Delivery	\$ 271,676.66	\$ 271,676.66

Sales Representative

Signature

Byron Haught

Printed Name

Date

Purchaser

Signature

Printed Name / Title

Date

Accepted by Sales Manager

or General Manager

Signature

Printed Name

Date

Quote good until 6/17/2022

Note: The above Customer Proposal is a quotation only. Sale terms subject to approval of Sales Manager of Dealer.

DISCLAIMER: Any order based on this Proposal is subject to Customer executing Dealer's standard form Retail Sales Order and other required documents incorporating the above terms. Any documentary fees, FET, state tax, title, registration and license fees subject to adjustment and change. This Proposal is based upon Dealer's current and expected inventory, which is subject to change. Dealer is not obligated to retain any specific vehicles in stock, nor maintain specific inventory levels. Dealer shall not be obligated to fulfill Proposal in event quoted vehicle(s) is not in stock or available within requested delivery schedule. Manufacturer has reserved the right to change the price to Dealer of any vehicle not currently in Dealer's stock, without notice to Dealer and Dealer reserves the right to change Quotation Total to reflect any price increases from Manufacturer. Dealer shall not be liable for any delay in providing or inability to provide Quoted Vehicle(s). Above listed Trade Value based upon current appraisal of Trade Vehicle(s). Dealer may adjust Trade Value of Trade Vehicle(s) to reflect changes in condition and/or mileage of Trade Vehicle(s) between date of current appraisal and acceptance of the Trade Vehicle by Customer.

⁽¹⁾ Includes subscription period for # of specified months. ⁽²⁾ Customer's use of RushCare Service is governed by the RushCare User Agreement located at <https://www.rushtruckcenters.com/rushcare-user-agreement>. ⁽³⁾ Customer's use of Telematics Services is governed by separate 3rd party license terms and Rush is not liable for the Telematics Service. ⁽⁴⁾ Gap Coverage is provided and administered by an independent 3rd party provider under a separate contract directly between Customer and the 3rd party provider.

New/used ordered by someone else to bought by else



12266 Branford Street
Sun Valley, CA 91352
(818) 899-1111
(818) 897-4366
sales@spartantruck.com
www.spartantruck.com

Date: April 11, 2022
Quote #: _____
PO #: _____
Quoted By: Jaccob Dalton
Deliver by: 90 Days After Receipt of Chassis

SPARTAN
TRUCK COMPANY, INC.

SPARTAN ROLL OFF UNIT - MODEL SRO60SC - QUOTE

Customer

Bill To: Rush Truck Center
9600 W. Roosevelt St.
Tolleson, AZ 85353

Ship To: City of Williams
Same as billing ☐ 575 E. Frank Way
Williams, AZ 86046

Contact: Byron Haught
Phone: 602-422-8124
Fax: _____
Email: haughtb@rushenterprises.com


Contact: Ron Howard
Phone: 928-635-9108
Fax: _____
Email: sanitation@williamsaz.gov

Chassis

VIN: _____
Year: _____
Make: _____
Model: _____

☒ New ☐ Used
Color: _____
Suspension: _____
Transmission: _____

CA (Cab to Axle) 186" Without Auto Tarp System / 192" with Auto Tarp System.
Minimum 80" clear frame required on chassis (forward of suspension on both sides)
Minimum 60" after frame (Measured from the Center of the Trunnion)
In Cab PTO Activation Switch & Wiring



Additional Comments:

Spartan Roll Off Unit: Model SRO60SC (TARE WEIGHT 6,200 LBS) - QUOTE

\$ 27,490.00

STANDARD FEATURES	PRICE	QTY	TOTAL
Frame Rail			
4" x 10" x 3/8" rectangular steel tubing 35.5" wide, 1/4" reinforcement to top of rear 36" of rails	Standard		
Rollers			
(4) per side, 5"OD with Protective Housing	\$650	1	\$ 650.00
Hoist System			
(2) 6" Bore x 4" Chrome Rod Cylinders. 60,000 lb combined rated lift capacity	Standard		
Lift Cable			
Steel cable 3/4" With Master link End (66,000 lb Capacity)	Standard		
Reeving System			
Single cylinder reeving system, 7" Bore x 4" Chrome Rod (60,000 lb Capacity)	Standard		
PTO System			
Muncie/Chelsea "Air shift" for manual transmission with P51 Permco Pump, 28 - 32 GPM pump @ 1000RPM	Standard		
Oil Tank			
37 Gallon Hyd Oil Reservoir includes 40 Micron Strainer & 10 Micron In tank Return Filter	Standard		
Hydraulic Valve			
Parker VA35 (3) Bank hydraulic system 2200 PSI Operating Pressure, Max Flow 85GPM	Standard		
Fenders			
Full fenders - Steel Diamond Plate Tandem Fenders with Mounting Brackets	\$1,500	1	\$ 1,500.00
Inside Controls			
In Cab Air Control Console with PTO & Bed Up Light (Dual Handle)	Standard		
Paint			
Sherwin Williams - Black Primer base Coat with Gloss Black Enamel Top Coat	Standard		
Tool Box			
36" X 18" X 18" Steel Toolbox With 3 Point Lockable T Handle, Door Chains & Rain Gutter	Standard		
ICC Bumper			
Manually Retractable ICC Bumper bar with Locking Pin (Override Protection)	Standard		
Bin Tiedowns			
(2) Manual combo winches with straps and winch bar for container securement	Standard		
Extra Stops			
(2) Adjustable Bin stops for Hoist Main frame along with Frame Mounted Housing	Standard		
LED Lighting			
LED Lighting with one Piece Plug & Play Electrical Harness	Standard		
SPECIAL OPTIONS			
Trailer Hitch			
Pup Trailer, steel plate with hook ups for hydraulics & Air Brakes plus inside air controls	\$3,600	1	\$ 3,600.00
Tarping System			
Install automatic tarping system with control valve and levers on driver side (PIONEER 4500 SARG)	\$10,950	1	\$ 10,950.00
Ground Roller			
Installed at rear of frame rail	\$725	1	\$ 725.00
Floodlights			
(2) Floodlights Mounted on Tarp Gantry	\$600	1	\$ 600.00
(2) Floodlights Mounted on Rear Lightbars	\$600	1	\$ 600.00
None	Standard		
Remote Throttle			
Outside throttle operation - control button and cable provided - truck oem or dealer is responsible for programming and connecting electronic control for remote PTO/throttle operation (1 Speed @ 1400rpm)	Standard		

F.O.B. - Sun Valley Factory

Unit Subtotal	\$	46,115.00
Number of Units Ordered	1	
Order Subtotal	\$	46,115.00
Steel Surcharge	5.00%	\$ 2,305.75
Freight		\$2,500
Total	\$	50,920.75

CUSTOMER IS HEREBY NOTIFIED THAT SPARTAN TRUCK COMPANY IS NOT RESPONSIBLE FOR PERSONAL PROPERTY LEFT IN VEHICLE.
CUSTOMER AGREES TO ALL TERMS AND CONDITIONS.
THIS QUOTATION IS GOOD FOR 30 DAYS.
PRICING IS SUBJECT TO CHANGE IF TRUCK IS NOT RECEIVED WITHIN 30 DAYS.

Down Payment \$
Net Sales Price \$ 50,920.75

Authorized By

Payment Terms:
Paid in Full Upon Completion
Shipment **90 Days** After
Reception of Unit

Signature

Date Approved: _____

Name (printed)

FOR ALL INQUIRIES

PLEASE CONTACT YOUR SPARTAN REPRESENTATIVE AT
(818) 899-1111 OR FAX YOUR INQUIRIES TO (818) 897-4366.

Customer Initials _____

Work Authorization

I Rush Truck Center, hereby authorize work to be done with the necessary material, and hereby grant your employees permission to operate the vehicle herein described on streets, highways or elsewhere for the purpose of testing and/or inspection. Cost will be no more than the estimated price. However, if Spartan Truck Co., Inc. ("Spartan") discovers that different or additional parts or repairs are needed, a Spartan representative will contact customer for approval of a revised estimate. I have read and understand the estimate and terms below. I authorize the service to be performed including sublet work and acknowledge receipt of this estimate.

Notice to Customer

Customer is hereby notified that the said property is not insured or protected to the amount of the actual cash value thereof, or otherwise against loss occasioned by theft, fire or vandalism while the property remains with Spartan.

Spartan is not responsible for unavailability of materials or delays in materials shipment beyond Spartan's control.

Parts returned for credit must be accompanied by this document or the appropriate invoice or packing slip and after (10) days are subject to a 15% handling charge. Parts special ordered or custom made are not returnable. No return policy on electrical or sheet metal parts. Defective goods will be repaired or replaced, but no claims allowed for labor damage. Prices are subject to change without notice.

ALL ACCOUNTS ARE DUE AND PAYABLE 30 DAYS FROM INVOICE DATE. A FINANCE CHARGE OF 1 1/2% PER MONTH (ANNUAL RATE OF 18% WILL BE CHARGED ON ALL PAST DUE ACCOUNTS).

VEHICLES/EQUIPMENT THAT REMAIN UNCLAIMED AFTER 10 DAYS FROM COMPLETION OF WORK WILL BE SUBJECT TO STORAGE FEES OF \$35 PER DAY.

NO Cooling Off Period

California law does not provide for a "cooling off" or other cancellation period for vehicle sales. Therefore, you cannot later cancel this contract simply because you change your mind, decide the vehicle costs too much, or wish you had acquired a different vehicle. After you sign this contract, you may only cancel it with the agreement of Spartan or for legal cause, such as fraud.

Applicable Law

Federal law and California law apply to this agreement. If any part of this agreement is not valid, all other parts stay valid. Spartan may delay or refrain from enforcing any of its rights under this agreement without losing them.

Warranty - Parts & Exchange Components

Spartan warrants new parts sold by it to be free from defects in material and workmanship subject to the following provisions. Such parts will be provided without charge to the user at a place of business of a Spartan maintenance department or other establishment authorized by Spartan Truck Co., Inc.

Parts and Labor Warranty are as follows: a) New parts have one (1) year warranty; b) All rebuild and/or repaired parts have ninety (90) days warranty; c) All labor repairs have ninety (90) days warranty. Spartan will provide a new or a rebuilt part, whichever Spartan elects, in place of any parts which are found upon its inspection to be defective in material or workmanship. Parts that fail due to abuse, misuse, neglect, alteration or accident are not covered.

THIS WARRANTY IS EXPRESSLY IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Remedies under this warranty are expressly limited to the provision of parts as specified above and any claims for loss arising out of the failure of the parts or exchange components to perform for any period of time, or other economic or moral loss, or direct, immediate, special, indirect or consequential damage are expressly excluded.

In addition to any and all other legal remedies available, I (customer) authorize your repair facility to place a lien on the vehicle described herein for all charges for repairs, including labor and parts, storage and/or towing. To enforce such lien, Spartan is hereby expressly authorized to sell the said vehicle at public auction after giving twenty (20) days written notice by certified mail to the legal owner, registered owner, and Department of Motor Vehicles of intent to do so. On the sale date, the vehicle shall be sold to the highest cash bidder and the proceeds of sale must be used first to satisfy the lien plus storage costs and costs incident to the sale. The balance shall be forwarded to the legal owner, or if none, to the registered owner, or if the address is unknown, it shall be forwarded to the Department of Motor Vehicles.

The said expenses for sale shall also include a reasonable attorney's fee, which may be necessarily incurred. If any of such charged remains unpaid for thirty (30) days after such request for payment, the repair facility may also refer such charge to its attorneys for collection and the customer will pay a reasonable attorney's fee.

Other

Where applicable the Original Equipment Manufacturer or Dealer is responsible for the programming of engine remote throttle operation and over speed protection not to exceed 1500 RPM.

Spartan Truck Co. reserves the right to make engineering changes to its products without obligation to perform these changes to products sold or shipped.

All pricing is in US dollars, and is subject to change without notice.

All Purchase Orders are subject to acceptance by Spartan Truck Company.

FOR ALL INQUIRIES

PLEASE CONTACT YOUR SPARTAN REPRESENTATIVE AT
(818) 899-1111 OR FAX YOUR INQUIRIES TO (818) 897-4366.

Customer Initials _____



Hx620 SBA

Sales Proposal For:
CITY OF WILLIAMS

Presented By:
RWC Group

Prepared For:
CITY OF WILLIAMS
Ron Howard
113 S. First Street
Williams, AZ 86046-
(928)635 - 6780
Reference ID: N/A

Presented By:
RWC Group
Mary R Wilson
600 North 75th Avenue
PHOENIX AZ 85043 -
(602)307-1050

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile
2024 HX620 SBA (HX620)

AXLE CONFIG:	6X4
APPLICATION:	Roll-On/Roll-off
MISSION:	Requested GVWR: 66000. Calc. GVWR: 60000. Calc. GCWR: 125000 Calc. Start / Grade Ability: 32.57% / 2.97% @ 55 MPH Calc. Geared Speed: 99.9 MPH
DIMENSION:	Wheelbase: 260.00, CA: 191.00, Axle to Frame: 61.00
ENGINE, DIESEL:	{Cummins X15 605 V} Productivity Series, EPA 2021, 605HP @ 1950 RPM, 1850 lb-ft Torque @ 1000 RPM, 2000 RPM Governed Speed, 605 Peak HP (Max)
TRANSMISSION, MANUAL:	{Fuller RTLO(F)-18918B} 18-Speed Manual, Double Overdrive, Double-Lo, Air Shift, Internal Lube Oil Pump
CLUTCH:	{Eaton Fuller Advantage} Self-Adjusting, 15.5" Dia Two-Plate, Cast Angle Spring, Ceramic, 7-Spring Coaxial VCT Plus Damper, 2"-10 Tooth Spline, Mechanical Pull Type Control, 6-Button Disc, 2050 lb-ft Torque Capacity
AXLE, FRONT NON-DRIVING:	{Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity
AXLE, REAR, TANDEM:	{Meritor MT-40-14X-5DFR} Single Reduction, 40,000-lb Capacity, .5"(12.7mm) Wall Housing Thickness, R Wheel Ends Gear Ratio: 3.42
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 425/65R22.5 Load Range L HAC 3 (CONTINENTAL), 465 rev/mile, 68 MPH, All-Position
TIRE, REAR:	(8) 315/80R22.5 Load Range L HSC 3 (CONTINENTAL), 481 rev/mile, 68 MPH, All-Position
SUSPENSION, REAR, TANDEM:	{Hendrickson HMX EX 460} Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings
PAINT:	Cab schematic 100LZ Location 1: 9219, Winter White (Std) Chassis schematic N/A

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)
HX62000	Base Chassis, Model HX620 SBA with 260.00 Wheelbase, 191.00 CA, and 61.00 Axle to Frame.	9444/6697	16141

AXLE CONFIGURATION

1AND	AXLE CONFIGURATION {Navistar} 6x4 <u>Notes</u> : Pricing may change if axle configuration is changed.	0/0	0
------	---	-----	---

ENGINE

12EPD	ENGINE, DIESEL {Cummins X15 605 V} Productivity Series, EPA 2021, 605HP @ 1950 RPM, 1850 lb-ft Torque @ 1000 RPM, 2000 RPM Governed Speed, 605 Peak HP (Max)	634/43	677
12XCS	CARB EMISSION WARR COMPLIANCE Federal, Does Not Comply with CARB Emission Warranty	0/0	0
12WZE	CARB IDLE COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations	0/0	0
12VHZ	EMISSION, CALENDAR YEAR {Cummins X15} EPA, OBD and GHG Certified for Calendar Year 2022	0/0	0
12XBC	RADIATOR Aluminum, Welded, Down Flow, Front to Back System, 1325 SqIn, with 806 SqIn Charge Air Cooler <u>Includes</u> : RADIATOR HOSES Premium, Rubber	0/0	0
12THT	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed <u>Includes</u> : FAN Nylon	0/0	0
12VCA	AIR CLEANER Single Element, with Integral Pre-Cleaner, Engine Mounted	0/0	0
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	0/0	0
12VGU	ENGINE CONTROL, REMOTE MOUNTED for X15 Engines	0/0	0
12WTA	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	0/0	0
12WCX	HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type	0/0	0
12WYZ	RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System	0/0	0

TRANSMISSION

13GKM	TRANSMISSION, MANUAL {Fuller RTLO(F)-18918B} 18-Speed Manual, Double Overdrive, Double-Lo, Air Shift, Internal Lube Oil Pump	-121/-19	-140
13WAS	CLUTCH HOUSING Aluminum; Available with 1350 to 2050 lb-ft Capacity Fuller Transmissions	-47/-6	-53
13WGJ	OIL COOLER MANUAL TRANSMISSION Water to Oil Type Included in Radiator End Tank (REQUIRES TRANSMISSION LUBE PUMP)	4/0	4
13WLX	TRANSMISSION OIL {EmGard 40W} Synthetic; 22 thru 33.99 Pints	0/0	0

CLUTCH

11MRR	CLUTCH {Eaton Fuller Advantage} Self-Adjusting, 15.5" Dia Two-Plate, Cast Angle Spring, Ceramic, 7-Spring Coaxial VCT Plus Damper, 2"-10 Tooth Spline, Mechanical Pull Type Control, 6-Button Disc, 2050 lb-ft Torque Capacity	-8/0	-8
11WAK	CLUTCH EFFECTS Hydraulic Clutch Actuation System, with Air Assist	0/0	0

REAR AXLES, SUSPENSIONS

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
14GVZ	AXLE, REAR, TANDEM {Meritor MT-40-14X-5DFR} Single Reduction, 40,000-lb Capacity, .5"(12.7mm) Wall Housing Thickness, R Wheel Ends . Gear Ratio: 3.42	0/40	40
14UMX	SUSPENSION, REAR, TANDEM {Hendrickson HMX EX 460} Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings	0/37	37
14WCR	TRANSVERSE TORQUE RODS {Hendrickson} TRAAX Rod, Transverse Only	0/-8	-8

FRONT AXLES

2ARY	AXLE, FRONT NON-DRIVING {Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity	126/0	126
------	---	-------	-----

FRONT SUSPENSIONS

3AGA	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 20,000-lb Capacity, with Shock Absorbers	-26/0	-26
------	--	-------	-----

CABS, COWLS, BODIES

16030	CAB Conventional, Day Cab <u>Includes</u> : CAB REAR SUSPENSION Air : CLEARANCE/MARKER LIGHTS (5) LED Roof Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CONSOLE, CENTER Includes Two Cup Holders and One Additional Storage Area : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : COURTESY LIGHT (2) Driver and Passenger Door Mounted : DOME LIGHT, CAB Rectangular, Door and Instrument Panel Mounted Switch Activated, Timed Theater Dimming, Center Mounted, Integral to Console : FLOOR COVERING Rubber, Black : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (4) "B" Pillar and Door Mounted, Two Each Side : READING LIGHT, CAB Located in Overhead Console : STORAGE POCKET, DOOR (2) Full Length, Driver and Passenger Door	0/0	0
16XTM	ACCESS, CAB Aluminum, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab or Sleeper Cab	0/0	0
16BAM	AIR CONDITIONER with Integral Heater and Defroster <u>Includes</u> : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps	0/0	0
16VKK	CAB INTERIOR TRIM Diamond, for Day Cab	0/0	0
16GEG	GAUGE CLUSTER Premium Level; English with English Electronic Speedometer <u>Includes</u> : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary)	0/0	0
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel, Mounted in Instrument Panel	2/0	2
16SDC	GRAB HANDLE, EXTERIOR (2) Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left and Right Side at B-Pillar	6/0	6

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
16XJP	INSTRUMENT PANEL Wing Panel	0/0	0
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0
16SNP	MIRRORS (2) C-Loop, Power Adjust, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	3/0	3
	<u>Notes</u> : Mirror Dimensions are Rounded to the Nearest 0.5"		
16XRX	MODESTY PANEL Painted	0/0	0
16LWK	SEAT, DRIVER {ISRI} Series 300, Air Suspension, High Back, Vinyl, Single Chamber Lumbar, Inboard Armrest, Suspension Cover, Fore/Aft Isolator, Cushion Extension, Seat Tilt	0/0	0
16400	SEAT, PASSENGER Omit Item	0/0	0
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	0/0	0

FRAMES

1CGC	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 550.0" (13970mm) Maximum OAL	224/257	481
1LRB	BUMPER, FRONT Contoured, Steel, Painted, Heavy Duty, for HX	0/0	0
1AMS	CROSSMEMBER, FRAME TIE for Heavy Duty	52/4	56
1WRW	TOW HOOK, FRONT (2) Frame Mounted; 80,000-lb. Total Capacity	15/0	15
1WXM	WHEELBASE RANGE 238" (605cm) Through and Including 295" (750cm)	250/-250	0

BRAKES

4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE SR-7 with relay valve for 6x4/8x6	0/0	0
4GBL	BRAKE, PARKING {Bendix Intellipark} Electronic Park Brake, for Truck or Bus Applications	0/0	0
4AZJ	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System, with Automatic Traction Control	0/0	0
4XDT	BRAKES, FRONT {Meritor 16.5X6 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 6", 20,000-lb Capacity	33/0	33
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn	4/0	4
4LAG	SLACK ADJUSTERS, FRONT {Gunitex} Automatic	14/0	14
4WBX	DUST SHIELDS, FRONT BRAKE for Air Cam Brakes	10/0	10
4XDS	BRAKES, REAR {Meritor 16.5X8.625 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 8.625", 23,000-lb Capacity per Axle	0/150	150
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqIn Spring Brake	0/14	14
4LGG	SLACK ADJUSTERS, REAR {Gunitex} Automatic	0/28	28
4XEE	PARK BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type	0/30	30
4WDM	DUST SHIELDS, REAR BRAKE for Air Cam Brakes	0/20	20
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM	0/0	0
4EDM	AIR DRYER {Bendix AD-HF} with Heater, Includes Pressure Protection Circuits, Safety Valve, Integral Purge Tank, Governor Pressure Settings 110 psi Cut-In/130 psi Cut-Out, Integrated PuraGuard Coalescing Filtration	0/0	0
4VKC	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	0/0	0
4VKK	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Back of Cab, Perpendicular to Rail	0/0	0

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
4WXZ	DRAIN VALVE {Bendix DV-2} (2) Automatic, with Heater, for Air Tank	0/0	0
STEERING			
5PTB	STEERING GEAR (2) {Sheppard M100/M80} Dual Power	106/-10	96
5710	STEERING COLUMN Tilting and Telescoping	0/0	0
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	0/0	0
DRIVELINES			
6DGX	DRIVELINE SYSTEM {Dana Spicer} Service Free SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4	5/2	7
EXHAUST SYSTEMS			
7BLV	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side	0/0	0
7BEU	AFTERTREATMENT COVER Aluminum	0/0	0
7SAP	ENGINE COMPRESSION BRAKE {Cummins} Interbrake For Cummins Signature/ISX/X15 Engines; Furnished with Engine	0/0	0
7WBU	EXHAUST HEIGHT 11' 6"	4/0	4
7WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum	14/6	20
7WAZ	TAIL PIPE (1) Turnback Type	-11/-2	-13
ELECTRICAL SYSTEMS			
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment <u>Includes</u> : HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted	0/0	0
8GXJ	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount	0/0	0
8RPR	ANTENNA for Increased Roof Clearance Applications	1/0	1
8THB	BACK-UP ALARM Electric, 102 dBA	0/3	3
8VUK	BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab	0/0	0
8MSG	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud	0/0	0
8HAE	BODY BUILDER WIRING Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	3/0	3
8RNC	CB RADIO Accommodation Package, Header Mounted, Feeds from Accessory Side of Ignition Switch, Includes Power Source, Two Antennas and Antenna Bases with Wiring on Both Side Mirrors	0/0	0
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	0/0	0
8WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	0/0	0
8XNZ	HEADLIGHTS Halogen, with Daytime Running Lights	0/0	0

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	0/0	0
8653	HORN, AIR Single, Located Under Cab	0/0	0
8VAY	HORN, ELECTRIC Disc Style	0/0	0
8WBW	JUMP START STUD Remote Mounted	2/0	2
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	3/0	3
8RBZ	SPEAKER, AUXILIARY, CB RADIO with Jack for CB; Mounted Left Side Above Driver's Door	0/0	0
8RMV	SPEAKERS (2) 6.5" Dual Cone Mounted in Doors	0/0	0
8WXG	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start	0/0	0
8TKJ	STOP, TURN, TAIL & B/U LIGHTS {Truck Lite} Super 44, with LED Lights for Stop, Turn, Tail and Backup Lights, with Power Module, "International" Termination and Less Junction Box, Includes License Plate Light	-1/9	8
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	0/0	0
8WEZ	TURN SIGNAL SWITCH Self-Canceling	0/0	0
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	0/0	0

FRONT END

9ASE	FRONT END Tilting, Composite	0/0	0
9585	FENDER EXTENSIONS Rubber	18/0	18
9HCN	GRILLE Chrome Vertical Accent Bars, with Black Mesh	0/0	0
9AAB	LOGOS EXTERIOR Model Badges	0/0	0
9AAE	LOGOS EXTERIOR, ENGINE Badges	0/0	0

SPEEDOMETER, TOOLS, MISC

10AGB	COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360	0/0	0
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	0/0	0
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0
10SLV	PROMOTIONAL PACKAGE Government Silver Package	0/0	0
10WCY	SAFETY TRIANGLES	5/1	6

FUEL TANKS

15SJZ	FUEL TANK Top Draw, Non-Polished Aluminum, 26" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab	-2/7	5
15WDY	DEF TANK 15.9 US Gal (60L) Capacity, Frame Mounted Outside Left Rail, Under Cab	4/0	4
15LNA	FUEL HEATER {Cummins} Plumbing for Thermal Recirculation Valve (TRV) Mounted to Cummins X15 Engines, Thermostatically Controlled	0/0	0
15LKU	FUEL/WATER SEPARATOR {Racor} Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor	0/0	0

WHEELS, TIRES - FRONT

27DUN	WHEELS, FRONT {Accuride 29807} DISC; 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 5.37"	104/0	104
7752665441	(2) TIRE, FRONT 425/65R22.5 Load Range L HAC 3 (CONTINENTAL), 465 rev/mile, 68 MPH, All-Position	132/0	132

WHEELS, TIRES - REAR

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
28DUL	WHEELS, REAR {Accuride 29300} DUAL DISC: 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	0/328	328
7792545438	(8) TIRE, REAR 315/80R22.5 Load Range L HSC 3 (CONTINENTAL), 481 rev/mile, 68 MPH, All-Position	0/360	360

WHEELS MISC OPTIONS

29ACD	TIRE VALVE CAP Flo-Thru Design	0/0	0
-------	--------------------------------	-----	---

BODY INTEGRATION

60AKG	BDY INTG, PTO ACCOMMODATION for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, with Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions Cab schematic 100LZ Location 1: 9219, Winter White (Std) Chassis schematic N/A	0/0	0
-------	---	-----	---

Services Section:**WARRANTY**

40132	WARRANTY Standard for HX520, HX620, Effective with Vehicles Built January 1, 2021 or Later, CTS-2015B	0/0	0
-------	---	-----	---

Body/Allied Equipment	Total Component Weight:	11006/7741	18747
<u>Code</u>	<u>Description</u>	<u>F/R Wt</u>	<u>Tot Wt</u>

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
1	CA (Cab to Axle) 186" Without Auto Tarp System / 192" with Auto Tarp System. Minimum 80" clear frame required on chassis (forward of suspension on both sides) Minimum 60" after frame (Measured from the Center of the Trunnion) In Cab PTO Activation Switch & Wiring 4" x 10" x 3/8" rectangular steel tubing 35.5" wide, 1/4" reinforcement to top of rear 36" of rails 4) per side, 5"OD with Protective Housing 2) 6" Bore x 4" Chrome Rod Cylinders. 60,000 lb combined rated lift capacity Steel cable 7/8" With Master link End (79,000 lb Capacity) Single cylinder reeving system, 7" Bore x 4" Chrome Rod (60,000 lb Capacity) Muncie/Chelsea "Air shift" for manual transmission with P51 Permco Pump, 28 - 32 GPM pump@1000RPM 37 Gallon Hyd Oil Reservoir includes 40 Micron Strainer & 10 Micron In tank Return Filter arker VA35 (3) Bank hydraulic system 2200 PSI Operating Pressure, Max Flow 65GPM Full fenders - Steel Diamond Plate Tandem Fenders with Mounting Brackets n Cab Air Control Console with PTO & Bed Up Light (Dual Handle) Sherwin Williams - Black Primer base Coat with Gloss Black Enamel Top Coat 36" X 18" X 18" Steel Toolbox With 3 Point Lockable T Handle, Door Chains & Rain Gutter Manually Retractable ICC Bumper bar with Locking Pin (Underride Protection) 2) Manual combo winches with straps and winch bar for container securement (2) Adjustable Bin stops for Hoist Main frame along with Frame Mounted Housing LED Lighting with one Piece Plug & Play Electrical Harness Pup Trailer, steel plate with hook ups for hydraulics & Air Brakes plus inside air controls Install automatic tarping system with control valve and levers on driver side (PIONEER 4500 SARG) Ground Roller installed at rear of frame rail (2) Floodlights Mounted on Tarp Gantry 2) Floodlights Mounted on Rear Lightbars Total Body Allied:	0/0	0
Goods Purchased			
<u>Code</u>	<u>Description</u>	<u>F/R Wt</u>	<u>Tot Wt</u>
Material Surcharge	Material Surcharge	0/0	0
Tire Surcharge	Tire Surcharge	0/0	0
RWC Service	Outside throttle operation - control button and cable provided - truck oem or dealer is responsible for programming and connecting electronic control for remote PTO/ throttle operation (1 Speed @ 1400rpm	0/0	0
Central Dispatch	DELIVERY TO WILLIAMS	0/0	0
State Contract	STATE CONTRACT CTR041813 1%	0/0	0
	Total Goods Purchased:	0/0	0

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

<u>Description</u>	(US DOLLAR)	<u>Price</u>
Total Factory List Price Including Options:		\$252,283.00
Total Goods Purchased:		\$9,140.00
Total Preparation And Delivery:		\$0.00
Freight Charge	\$3,100.00	
Total Freight:		\$3,100.00
Total Factory List Price Including Freight:		\$264,523.00
Less Customer Allowance:		(\$128,503.99)
Total Vehicle Price:		\$136,019.01
Total Body/Allied Equipment:		\$73,731.25
Total Sale Price:		\$209,750.26
Total Per Vehicle Sales Price:		\$209,750.26
Total Net Sales Excluding Taxes:		\$209,750.26
Arizona Tire Tax, 10 Tires	\$20.00	
Sales Tax, Pima County	\$12,794.77	
Total Taxes:		\$12,814.77
Net Sales Price:		\$222,565.03

STATE CONTRACT CTR041813

If applicable, Federal Excise Tax (FET) is included in the net sales price above.

Terms of payment are cash on delivery and prices quoted are FOB Phoenix, AZ (unless otherwise noted).

This quote is good for 30 days. All inventory units are subject to prior sale. Unless otherwise noted, the quote above does NOT include title and licensing charges or Arizona state sales tax.

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date_____
Firm or Business Name_____
Authorized Signature_____
Authorized Signature and DateThis proposal is not binding upon the seller without
Seller's Authorized Signature_____
Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.

Purchase Order

P. O. Number: 410

City of Williams
113 S First St
Williams AZ 86046

PHONE: 928-635-4451
FAX: 928-635-4495



To: 13288

SPARTAN TRUCK COMPANY, INC.
12266 BRANFORD STREET
SUN VALLEY CA 91352

Ship to:

CITY OF WILLIAMS
113 S FIRST ST
WILLIAMS AZ 86046

P. O. Date	Created By	Requested By	Department	Approved By	Req Number
08/03/2022	Barbara		650 - SANITATION		0

Quantity	Description	Activity No.	Unit Price	Total
1.00	Spartan Pup Trailer - Model SPT 40 (see att 65-000-7050.000	0	83,443.00	83,443.00
			SHIPPING / HANDLING	
			SALES TAX	6,532.00
			TOTAL PO AMOUNT	89,975.00

Notes:

Authorized Signature



12266 Branford Street
Sun Valley, CA 91352
Tel.: (818) 899-1111
Fax: (818) 897-4366
email: sales@spartantruck.com
www.spartantruck.com

DATE: Thursday, June 30, 2022

QUOTE # :

PO #:

TRUCK DELIVERED BY: COMPLETION OF SRO60SC UNIT

MODEL SPT 40

CUSTOMER	
COMPANY	City of Williams
	575 E. Frank Way
	Williams, AZ 86046
CONTACT	Ron Howard
PHONE	928-635-9108
FAX	
E-MAIL	
COMMENTS	

FINAL DESTINATION / END USER	
COMPANY	FOB Sun Valley
CONTACT	Jacob Dalton
PHONE	602-446-0868
FAX	
E-MAIL	jacob@spartantruck.com

STANDARD FEATURES (DIMENSIONS ARE APPROXIMATE)			PRICE EACH	BALANCE
STANDARD PRICING	1	SPARTAN PUP TRAILER - MODEL SPT 40 OVERALL LENGTH: 34', TARE WEIGHT: 11,000 LBS STANDARD PRICING INCLUDES FOLLOWING MARKED OPTIONS	\$ 54,655	\$ 54,655
UNDER CHASSIS	X	Sub - frame 3/8 650 frame steel channel 10" x 34.5"		
SUSPENSION	X	Transpro 3 leaf, 4 spring 44,000lb		
AXLES	X	5" round beam axle, 22,500lb minimum rating, 71.50 track, Spacing 49" (34,500lb tandem GVW rating)		
HUB WHEELS	X	Out board type 10 hole, 1 1/4 diameter bolt		
FRONT BRAKES	X	16.5" X 7" AIE, "S" cam with automatic slack adjuster		
REAR BRAKES	X	16.5" X 7" AIE "S" cam with automatic slack adjuster, and spring brakes		
WHEELS AND TIRES	X	11R / 22.5 on steel rims		
LIGHTS	X	LED lights (comply with State and Federal Regulations)		
FENDERS		Stainless steel quarter fenders (See pricing below for full steel fenders)		
LANDING GEAR		Manual landing gear in front mid section (see pricing below for hydraulic landing gear)		
TONGUE HITCH	X	2.5" steel square tubing, with hitch ring, spring supported, 114" long for container handling		
STORAGE TOOL BOX	X	Storage Toolbox - 18" X 18" X 36" with lock		
LIGHT BAR	X	3-light red running lights, corner clearance lights, brake and directional signals		
HYDRAULIC CONTROLS	X	Valve bank with direct controls located on drivers side		
FRAME RAILS	X	Frame rails: 4" x 10" x .375 (ASTM A-500/GRADE-C) rectangular steel tubing		
CABLE	X	7/8" diameter X 71' length, 6 x 37 EX1WRC regular right lay		
ROLLERS	X	3 per side, 5"OD x 3.5"L x 1.25" wall thick, 4" from top of rails, pins 2.5" OD with zerk fittings		
REAR HINGE ASSEMBLY	X	5/8" rear hinge plates welded to hoist sub frame, heat treated steel pins with zerk fittings for lubrication		
HOIST CYLINDERS	X	Lower lift cylinder mounting shaft 2-1/2" OD Steel; two double acting 5.5" bore lift cylinders with 72" stroke		
REEVING SYSTEM	X	Single cylinder double acting with 80" stroke mounted between rail frames		
SAFETY PROPS	X	Hoist frame with 2 safety maintenance props one on each side of the hoist rail		
REAR BUMPER	X	Center mounted ICC bumper, steel structured rear bumper installed across frame rails		
QUICK DISCONNECT	X	16-16 Standard quick disconnect fittings (trailer will not operate with other type of fittings)		
PAINT	X	Gray primer base coating, gloss black enamel finish (different color \$400 extra)		

Initial to approve all items on front page _____

SPECIAL OPTIONS	DESCRIPTION	PRICE EACH	BALANCE
FULL FENDERS <input checked="" type="checkbox"/>	Full Steel Fenders - Diamond Plate covering entire tire area	\$ 1,750	\$ 1,750
HYD LAND GEAR <input checked="" type="checkbox"/>	Hydraulic landing gear (STANDARD)	\$ -	\$ -
TARP SYSTEM <input checked="" type="checkbox"/>	Pioneer 4500SARG automatic tarping system (Approximate installed weight: 1,500 lbs)	\$ 10,950	\$ 10,950
TARP SYSTEM LIGHTS <input checked="" type="checkbox"/>	(2) Flood Lights Mounted on Tarp System Gantry	\$ 700	\$ 700
REAR LIGHT BAR LIGHTS <input checked="" type="checkbox"/>	(2) Flood Lights Mounted on Rear Light Bars	\$ 700	\$ 700
*COMBO HITCH	Modification to truck/towing unit for pulling SPT 40 and/or a transfer trailer	\$ 5,600	
*KIT FOR TRAILER HITCH	Self-installation kit for truck/towing unit for SPT 40, includes hitch plate weldment, glad hands for air, 7 pin electrical sockets, quick disconnect hook ups, air toggle switch, pressure switch, red indicator lights	\$ 4,500	

CUSTOMER IS HEREBY NOTIFIED THAT SPARTAN TRUCK COMPANY IS NOT RESPONSIBLE FOR PERSONAL PROPERTY LEFT IN VEHICLE. CUSTOMER AGREES TO ALL TERMS AND CONDITIONS ON REVERSE SIDE OF THIS CONTRACT, PLEASE READ REVERSE SIDE/PAGE 3.

NOTES:	TOTAL STD PRICES AND OPTIONS	\$ 68,755
*Trailer hitch options are for tractor/truck/towing unit.		
Ground clearance dimensions on towing unit are required.	SUBTOTAL	\$ 68,755
Special tires may be required for trailer to align frame rails in tow unit to frame rails on towing unit.	STEEL SURCHARGE 5%	\$ 3,438
DMV documents for licensing will be provided.	FEDERAL EXCISE TAX 12.0%	\$ 8,251
Pricing subject to all applicable taxes.	SALES TAX % 9.50%	\$ 6,532
	TOTAL	\$ 86,975
	DOWN PAYMENT	
	NET SALES PRICE	\$ 89,975
QUOTED BY: <u>Jacob Dalton</u>	SHIPMENT <u>90</u>	DAYS AFTER
TODAY'S DATE: <u>Thursday, June 30, 2022</u>		RECEPTION OF DOWN
F.O.B. : <u>SUN VALLEY - FACTORY</u>	AUTHORIZED BY: _____	PAYMENT
PAYMENT TERMS : <u>50% DEPOSIT, PAID IN FULL UPON COMPLETION</u>	PRINT NAME: _____	
FREIGHT: <u>\$3,000.00</u>		

QUOTATION WILL BE HONORED FOR 30 DAYS. PRICING SUBJECT TO CHANGE IF TRUCK NOT RECEIVED WITHIN 30 DAYS

Where applicable the Original Equipment Manufacturer or Dealer is responsible for the programming of engine remote throttle operation and over speed protection not to exceed 1500 RPM.
Spartan Truck Co. reserves the right to make engineering changes to its products without obligation to perform these changes to products sold or shipped.
All pricing is in US dollars, and is subject to change without notice.
All Purchase Orders are subject to acceptance by Spartan Truck Company.

SPARTAN
Quality, Engineering, Value

TERMS AND CONDITIONS

WORK AUTHORIZATION

I (customer) hereby authorize work to be done with the necessary material, and hereby grant your employees permission to operate the vehicle herein described on streets, highways or elsewhere for the purpose of testing and/or inspection. Cost will be no more than the estimated price. However, if Spartan Truck Co., Inc. ("Spartan") discovers that different or additional parts or repairs are needed, a Spartan representative will contact customer for approval of a revised estimate. I have read and understand the estimate and terms below. I authorize the service to be performed including sublet work and acknowledge receipt of this estimate.

NOTICE TO CUSTOMER

Customer is hereby notified that the said property is not insured or protected to the amount of the actual cash value thereof, or otherwise against loss occasioned by theft, fire or vandalism while the property remains with Spartan.

Spartan is not responsible for unavailability of materials or delays in materials shipment beyond Spartan's control.

Parts returned for credit must be accompanied by this document and after (10) days are subject to a 15% handling charge. Parts special ordered are not returnable. No return policy on electrical or sheet metal parts. Defective goods will be repaired or replaced, but no claims allowed for labor damage. Prices are subject to change without notice.

ALL ACCOUNTS ARE DUE AND PAYABLE 30 DAYS FROM INVOICE DATE. A FINANCE CHARGE OF 1 1/2% PER MONTH (ANNUAL RATE OF 18% WILL BE CHARGED ON ALL PAST DUE ACCOUNTS).

VEHICLES/EQUIPMENT THAT REMAIN UNCLAIMED AFTER 10 DAYS FROM COMPLETION OF WORK WILL BE SUBJECT TO STORAGE FEES OF \$35 PER DAY.

THERE IS NO COOLING OFF PERIOD

California law does not provide for a "cooling off" or other cancellation period for vehicle sales. Therefore, you cannot later cancel this contract simply because you change your mind, decide the vehicle costs too much, or wish you had acquired a different vehicle. After you sign this contract, you may only cancel it with the agreement of Spartan or for legal cause, such as fraud.

APPLICABLE LAW

Federal law and California law apply to this agreement. If any part of this agreement is not valid, all other parts stay valid. Spartan may delay or refrain from enforcing any of its rights under this agreement without losing them.

HAZARDOUS MATERIAL

A hazardous waste disposal charge will be added when items removed from the vehicle or items used in conjunction with the repair of the vehicle and it must be disposed of in compliance with federal, state and local government hazardous waste regulations. Those items could include any of the following: oils, greases, antifreeze, cleaning fluids, non-recyclable items, etc.

WARRANTY-PARTS AND EXCHANGE COMPONENTS


Spartan warrants new parts sold by it to be free from defects in material and workmanship subject to the following provisions. Such parts will be provided without charge to the user at a place of business of a Spartan maintenance department or other establishment authorized by Spartan Truck Co., Inc.

Parts and Labor Warranty are as follows: a) New parts have one (1) year warranty; b) All rebuild and/or repaired parts have ninety (90) days warranty; c) All labor repairs have ninety (90) days warranty. Spartan will provide a new or a rebuilt part, whichever Spartan elects, in place of any parts which are found upon its inspection to be defective in material or workmanship. Parts that fail due to abuse, misuse, neglect, alteration or accident are not covered.

THIS WARRANTY IS EXPRESSLY IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Remedies under this warranty are expressly limited to the provision of parts as specified above and any claims for loss arising out of the failure of the parts or exchange components to perform for any period of time, or other economic or moral loss, or direct, immediate, special, indirect or consequential damage are expressly excluded.

In addition to any and all other legal remedies available, I (customer) authorize your repair facility to place a lien on the vehicle described herein for all charges for repairs, including labor and parts, storage and/or towing. To enforce such lien, Spartan is hereby expressly authorized to sell the said vehicle at public auction after giving twenty (20) days written notice by certified mail to the legal owner, registered owner, and Department of Motor Vehicles of intent to do so. On the sale date, the vehicle shall be sold to the highest cash bidder and the proceeds of sale must be used first to satisfy the lien plus storage costs and costs incident to the sale. The

The said expenses for sale shall also include a reasonable attorney's fee, which may be necessarily incurred. If any of such charged remains unpaid for thirty (30) days after such request for payment, the repair facility may also refer such charge to its attorneys for collection and the customer will pay a reasonable attorney's fee.




New/Used Year Make Model: _____

VIN: _____

Color: _____ License Tag: _____

Equipment: _____


THIS QUOTATION IS GOOD FOR 30 DAYS. FOR ALL INQUIRIES OF THESE TERMS AND CONDITIONS PLEASE CONTACT YOUR SPARTAN REPRESENTATIVE AT (818) 899-1111 OR FAX YOUR INQUIRIES TO (818) 897-4366.



19379

LIABILITY: It is mutually agreed that; in case of fires, labor difficulties, embargoes, delays in transportation, delays of subcontractors, requirements of orders now or hereafter from the U.S. Government, and other cause beyond our control, neither the purchaser or AMREP, INC. is to hold the other liable for any damage nor expense in any form whatsoever. All prices quoted herein are for immediate acceptance unless other wise stated, and subject to change without notice. Stenographic and/or clerical errors are subject to correction. No verbal orders or commitments by salesman will be recognized.

ACCEPTANCE: This order is accepted by AMREP, INC. only when formally approved by the purchaser and the authorized officer of AMREP, INC. and will not be thereafter subject to cancellation.



PUP - TRAILER MODEL AMPTR-35 STANDARD SPECIFICATIONS

THE FOLLOWING SPECIFICATIONS ARE FOR A STANDARD ROLL-OFF PUP TRAILER

STANDARD SPECIFICATIONS

TYPE

- Reeving Unit, Full Tilt Frame Roll-Off Chassis

RATED CAPACITY

- 120,000# Cylinder Capacity, 30,000# Line Pull

CONTAINER CAPACITY

- Up To 24" (Larger Available)

RAIL SIZE

- Rectangular Tubing 12" X 4" X 3/8"
- Length - Approximately 26'

RAIL WIDTH

- Standard Spacing Is 34"

FRAME

- 3/8 T-1 X 11' Channel

AXLES / HUBS

- 24,500 LB Rating
- Hub Piloted

REAR BUMPER

- Rear Bumper With Tail, Stop, Back Up Lights And Mud Flaps

HINGE PIN

- 2"

FENDERS

- Full Composite - Minimizer

CABLE PULLEY

- 9" Diameter With Bronze Bushings

ROLLERS

- (3) On Each Rail, 4 1/2" Diameter With Zerk Fittings

CABLE

- Standard 7/8" X 75' With Pear Ring End

TILT ANGLE

- 42 - 46 Degrees (Variable)

SUSPENSION

- Hutch 9700 - 3 Spring Suspension

TONGUE

- 14' Length, 8 X 8 X 1/2" Square Tube, Integral With Chassis

ESTIMATED BODY WEIGHT

- 6,900 LBS

HOIST CYLINDER MOUNTS

- Lower Shaft - 3 1/2" • Upper Shaft - 2 1/2"

HOIST CYLINDERS

- (2) Single Stage, Double Acting
- Bore - 5 1/2" • Stroke - 62 5/8" • Rod - 3" Chrome

REEVING CYLINDERS

- Single Stage, Double Acting
- Bore - 6" • Stroke - 83 5/8" • Rod - 3" Chrome

TOOL BOX

- Steel Lockable 36" Curbside

CONTROLS

- Air / Hydraulic Twin-Stick

CONTROL VALVE

- Commercial A-35

OPERATING PRESSURE

- 1,800 PSI

PAINT

- Glossy Black

ROLL-OFF OPTIONS

FENDERS

- 1/4 Steel (Painted)
- 1/4 Stainless (Polished)
- Full Steel (Painted)
- Full Aluminum (Polished)

TOOL BOX

- Aluminum T-Handle
- Tarp/Carry Basket Attached To Tool Box

TIE DOWNS

- Ratchet, Hook For Tie Down At Rear
- Dot Chains

RAIL OPTIONS

- Additional Rollers
- Angle Between Rollers
- Channel Rails

FIRE PROTECTION

- 20lb Fire Extinguisher Mounted Externally

LIGHTING

- Led Lighting Package

TARPING SYSTEM

- Pioneer Coverall RP4500SARG
(Other Models Available Upon Request)



1555 S. Cucamonga Ave. Ontario, CA 91761

Ph#: (909) 923-0430 Fax#: (909) 923-2485

www.amrepinc.com

Purchase Order

P. O. Number: 413

City of Williams
113 S First St
Williams AZ 86046

PHONE: 928-635-4451
FAX: 928-635-4495



To: 13294

FN AMERICA, LLC
FN AMERICA, INC
797 OLD CLEMSON ROAD
COLUMBIA SC 29229

Ship to:

CITY OF WILLIAMS
113 S FIRST ST
WILLIAMS AZ 86046

P. O. Date	Created By	Requested By	Department	Approved By	Req Number
08/10/2022	kayhill		930 - POLICE DEPT		0

Quantity	Description	Activity No.	Unit Price	Total
1.00	HAND GUNS FN509 LE WITH AIMPOIN 01-930-7452.000	0	13,425.00	13,425.00
SHIPPING / HANDLING				
SALES TAX				
TOTAL PO AMOUNT				13,425.00

Notes:

Authorized Signature

City of Williams, Arizona Requisition Form

08-08-2022

John Romero

PD

413

13294

FN America, LLC - PO Box 9424 McLean, VA 22102

Check Here if a PO is required

Check Here if this is a New Vendor (if so, please attach W-9 & certificate of insurance)

Check Here if this Purchase Exceeds \$10,000

City Council Approval Date:

QTY

Cost Per Unit

Hand guns - FN509 LE with Aimpoint

15

01-930-7452

\$ 895.00

\$ 13,425.00

\$ 0.00

\$ 0.00

\$ 0.00

\$ 0.00

\$ 0.00

\$ 0.00

\$ 0.00

\$ 0.00

\$ 0.00

\$ 0.00

\$ 0.00

Invoice Date

GL Period

8/22

Payment Date

Amount

FIN

CM

FREIGHT

\$ 0.00

TAX

\$ 0.00

TOTAL

\$ 13,425.00

Department Head Approval

Finance Approval

City Manager Approval



**Quote Number
22/116WPD**

June 24, 2022

Lt. John Romero
Williams Police Dept.
113 S. First St.
Williams, AZ. 86046
1-928-606-8761
jromero@williamsaz.gov

FN America is pleased to quote you the following items:

ITEM	DESCRIPTION	Agency Direct Price FAET out	Units	Delivery	NOTES
66-101287-01	FN 509 MRD W/ACRO P-2	\$895ea		45 days ARO	
66-101447-01	FN 509M MRD W/ACRO P-2	\$895ea		45 days ARO	
					Shipping is included

Terms and Conditions:

1. FN Standard packaging
2. F.O.B Destination
3. Quote Expires 08/31/2022
4. Payment Terms: NET 30 days
5. Quote is subject to applicable sales tax, absent evidence of a sales tax exemption
6. Copy of customer's valid federal firearms license (FFL) required prior to FNA's acceptance of an order if required
7. Products are not for export
8. Other terms and conditions not specifically stated herein (e.g., terms and conditions provided as part of customer's purchase order) will be subject to review and acceptance by FNA prior to order acceptance.

Please include the quote number on your purchase order and a copy of the quote. Please make note that the delivery time is only an estimate and is subject to change based on product availability.

FN America, LLC

P.O. Box 9424 • McLean, VA 22102 • USA • Tel (703) 288-3500 • Fax (703) 288-4507

A member of the Herstal Group

FN 509 LE with Aimpoint	\$895 x 15	= \$13425
Holster Safari Land	\$207 x12	= \$2484
9mm Practice	\$175 per case x10	= \$1750
9mm Duty	\$360 per case x1	= \$360
Total Cost of		= \$18019

Sale of Current Equipment and Ammo to Offset Price

Glock 22	\$400 X14	= \$5600
40 Ammo P	\$220 a case, \$11 a box	= \$2,200
40 Ammo D	\$361 a case \$18 a box	= \$722
Total		= \$8522
Difference of		= \$9497
		-\$4,800 gift card SGC
Actual Cost to City		= \$4697

Staff Report



To: Mayor and Council

From: Chief Tad Wygal

Date: August 8, 2022

Re: Duty Weapon Replacement

Issue: Aging duty weapons have maintenance requirements due and are outdated in today's Law Enforcement world.

Background: Our weapons were purchased in 2014 and are now 8 years old. All of these weapons are due a gunsmith revamp to ensure proper function. The total cost of the maintenance is around \$2500.00. The .40 caliber is no longer the industry standard for law enforcement as most agencies are transitioning to the 9 mm for a variety of reasons. With associated sale of existing equipment and savings of the refurbishing of the old weapons, the actual cost to the city will be around \$2200.00.

Fiscal Impact: Overall impact should be a cost of approximately \$4700.00 this FY 2022-23. Our budget is \$5000.00 this year. There should be no cost in excess of the budgeted amount. The total cost of the new firearms, holsters and ammunition is approximately \$18,000.00. The sale of the current weapons and ammunition we currently have would bring in about \$9500.00. We also have a 4800.00 credit to offset the ammunition purchase.

Information in Package:

Attached Letter from Lt. Romero detailing cost estimates.

Capital Project Sheet.

Proposal from FN America for complete weapon system.

Cost break down of purchase vs. sale of old equipment.

FY2021-2022 Capital Project and/or Program Sheet

Project Name-Department:

Police Duty Weapon Modernization

Start Date (mm/dd/yyyy):

08/25/2022

Department Rank:

Completion Date (mm/dd/yyyy):

10/30/2022

Project Description:

Purchase new duty weapon system FN 509 9mm w/ sighting system.. - Replacing existing Glock .40

Justification and Impact:

Budget Item 01-930-5130.000 for fiscal year 2022-23 is in the amount of \$6,000.00 which is for weapons/ equipment/ammunition. This proposal is to utilize the approved budget funds for the purchase of a new weapon system

Budget Request							
Type of Expense	FY21-22 Carryforward	FY21-22	FY22-23	FY23-24	FY24-25	FY25-26	Total
Weapons			13,425				\$ 13,425
Ammo/ equipment			4,594				\$ 4,594
Total	\$ -	\$ -	\$ 18,019	\$ -	\$ -	\$ -	\$ 18,019
Funding Sources							
Funding Sources	FY21-22 Carryforward	FY21-22	FY22-23	FY23-24	FY24-25	FY25-26	Total
Budget			6,000				\$ 6,000
sale of existing items		-	8,522	-	-	-	\$ 8,522
Credit for sold items		-	4,800	-	-	-	\$ 4,800
Total	\$ -	\$ -	\$ 19,322	\$ -	\$ -	\$ -	\$ 19,322

CIP Operating Impact

	FY21-22	FY22-23	FY23-24	FY24-25	FY25-26	Total
Personnel Costs						-
Professional & Technical						-
Supplies						-
Other						-
Estimated operating costs per year	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -

Other:

Expected out of budget cost is \$4697 after reimbursement of sold items.



Chief of Police
Tad Wygal



WILLIAMS POLICE DEPARTMENT

501 W. ROUTE 66 • WILLIAMS ARIZONA 86046
(928) 635-4461
FAX (928) 635-1415

To: Honorable Mayor, City Council, City Manager, and Chief of Police

From: Lieutenant John Romero

Subject: Police Department updating Weapon System.

Summary: Williams Police Department is currently equipped with Glock 22 40 Caliber weapon system. This weapon system is outdated in today's Law Enforcement world.

Proposal: The Williams Police Department would like to move to the FN 509 MRD LEO Weapon system. This weapon system is a 9mm handgun with an optical sight. There is many benefits on moving to the 9mm weapon system which the following are:

1. **Shoot ability:** While some officer shoot the Glock .40 well, the police department is constantly requalifying over 30% officers in our shoots because of numerous different reasons. Those who have problems using the .40 almost always shoot a 9mm more accurately. This is true at any distance and even more so when repeat shots are needed. Shot placement and accuracy is the most critical factor in stopping the threat, and the 9mm does nothing but enhance those abilities.
2. **Longevity:** There's usually less wear and tear on 9mm pistols. They generally last longer, need fewer repairs and are less prone to breakage.
3. **Reliability:** Pistols chambered in 9mm are generally the most reliable pistols available in those configurations most popular at police agencies. Los Angeles Police Department tested the F509 over 100,000 rounds for three years with no failures. They're also less susceptible to changes in duty ammunition and can reliably function with both practice and duty ammunition.
4. **Cost:** Especially when purchased in bulk, 9mm ammunition can be significantly less expensive. It is not uncommon to see thousands of dollars in savings at the agency level. That same lower cost also encourages officers to practice on their own as well.
5. **Liability:** With the way the world is going, it is no longer nothing ever happens in Williams, the statement needs to be "When it happens in Williams." The world we live in is inherently getting more and more dangerous every year. In case of when an Officer Involved Shooting happens, they will go back to our training records and see if this officer qualified with ease or is an officer that is consistently having to requalify. If a bystander gets hurt from an errant shot, the City could be held liable.

The FN 509 MRD LEO weapon system has a mounted optic system attached. The ease of shooting a 9 mm, along with a red dot optic is going to help all Williams Police Officers be held at a higher standards of shooting qualifying scores, less requalification's, safer for the community, and over all less liability to the city.